



---

## FLASH COOLING STATION TRG 1313

---

### ■ *For light vehicles*

- Specially developed in composite materials for draining, purging and replacing the coolant of all light vehicles up to 15L.
- Compatible with all petrol, diesel, electric or hybrid engines.

### ■ *Characteristics*

- Draining, purging and replacing the coolant carried out in a few minutes, without any disassembly.
- Station equipped with 2 tanks of 15 litres each.
- Sturdy, light and very handy station.
- Totally autonomous station operating from a compressed air source and requires no power supply

## Technical Information

<b>Designation</b>	<b>TRG 1313</b>
<b>Power supply type</b>	Compressed air
<b>Tank capacity (L)</b>	2 x 15 litres
<b>Duration of intervention</b>	From 5 min
<b>Dimension (L*P*H cm)</b>	55 x 55 x 110 cm
<b>Weight (kg)</b>	16 kg
<b>Materials</b>	Composites

Removable pipework  
System« Push-In »



Central handle for easy  
maneuverability

High volume tanks in high  
strength Plexiglass

Black composite case

Braked castor for total  
stability



Composite plates  
20 mm thick



Compressed air  
connection

Single stainless  
steel control  
valve



High strength seals  
And suction system  
« Push-In »

Video instructions  
via QR Code

Indication of liters

### ■ Clean

Avoids dirtying your workshop and having coolant under the vehicle.

### ■ Ecological

Recovery and recycling of used fluids in an ecological way without polluting the soil in removable tanks.

### ■ Available to buy or rent

Please contact us for more information

### ■ Complies with EC directives